

T PRISM screen




PERFECT MATCH FOR UST PROJECTOR / LASER TV

HOME CINEMA FIXED FRAME ALR SCREEN - AZ

Premium Ambient Light-Rejecting Technology




ADVANTAGE FRIENDLY FEATURES



BRIGHTER & BETTER


T PRISM is with 3D nano coating which combines the contrast and gain perfectly reaching 20000:1 cinema standard. With a nearly perfect viewing angle of 178° and big size range (100"-150"), it is capable of being viewed from extreme off axis positions even during day time with ambient light. When compared with normal matte white screen and other ALR fabric, the picture comes alive and maintains the contrast of the projector.




Unique Fabric Tension design user friendly
All aluminum structure, reinforced corner seamless butt joint, high strength, light weight, totally different to the traditional spring fixed screen, innovative sliding button installation design, saving time and effort, simple and practical, convenient and fast.




178°
Viewing Angle



0.3"
Ultra-narrow



1.8"
Thickness



LED backlight

Viewing Angle Of And Big Size

Home Cinema Fixed Frame ALR Screen SIZE »

| SCREENPRO Fixed ALR Screen For UST - AZ | | | | | | | Unit: mm |
|---|-----------|--------------|--------------------|------|-----|--------------------|----------------|
| FORMAT | DIAG.SIZE | VIEWING SIZE | OVERALL DIMENSIONS | | T | PACKAGE DIMENSIONS | APPROX. WEIGHT |
| | D | WxH | L | B | T | W1xH1xL1 | Kg |
| 16 : 9 | 100" | 2213x1245 | 2229 | 1260 | 550 | 225x215x1390 | 18.8 |
| | 110" | 2434x1369 | 2450 | 1385 | 612 | 225x215x1514 | 20.6 |
| | 120" | 2656x1494 | 2671 | 1509 | 675 | 225x215x1640 | 22.4 |
| | 135" | 2988x1680 | 3003 | 1696 | 768 | 225x215x1825 | 25.2 |
| | 150" | 3320x1867 | 3335 | 1883 | 861 | 225x215x2015 | 28.1 |
| 16:10 | 100" | 2153x1346 | 2169 | 1361 | 601 | 225x215x1490 | 19.4 |
| | 110" | 2369x1480 | 2384 | 1496 | 668 | 225x215x1625 | 21.2 |
| | 120" | 2584x1615 | 2600 | 1630 | 735 | 225x215x1760 | 23.1 |
| | 135" | 2907x1817 | 2923 | 1832 | 836 | 225x215x1960 | 26.0 |
| | 140" | 3015x1885 | 3030 | 1900 | 870 | 225x215x2030 | 27.0 |

Add-on Option
Thin frame screen series


180+
Multi Light Effect Mode

60
LEDs/m

30+
Music Rhythm Mode

Create an instant vibe
for any occasion

SCREENPRO RGB Smart LED Light System



LED Chord

Download on the
App Store

GET IT ON
Google Play

Light up your life


Control and set lights mode that dance, flash, dim, and brighten in sync with the sound on your screen.

Personalize with the app's entertainment experience, adjusting the speed, brightness, and intensity of the lights.



Make It Your Own

Bend it, personalized to your needs cut to any length at the specified marks, and enjoy a party of colorful strips you can curate to your style.




Designed for Laser TV Entertainment

32.8ft(2/pcs) light strips, suitable for installation on the 100-150 inch screen back. The colors blend naturally, projecting light behind the screen with lights jamming with your music.

60 LEDs/m · IP65 Waterproof · 3M adhesive tape · WS2811 IC Chip



*Images may differ from the actual product, please refer to the actual product.



PRODUCT NOTES

Screen length calculation formula: $L = W + 15\text{mm}$

Packaging volume calculation formula: Non-joint: $V = 0.0364 \times (W + 100/1000) \text{ m}^3$

[16:9/16:10]joint: $V = 0.0441 \times (H + 255/1000) \text{ m}^3$

[2.35:1]joint: $V = 0.0441 \times (W + 2 + 92.5/1000) \text{ m}^3$

Explanation:

1. The allowable error between the theoretical size and the actual size of the projected area is $\pm 5\text{mm}$, and the allowable error between the physical size and the size in the table is $\pm 3\text{mm}$, please refer to the actual one.
2. The allowable error between the actual weight and the weight in the table is $\pm 1\text{kg} / 2.2\text{Lbs}$
3. H1 refers to the height dimension between the ceiling and the ceiling
4. The length of the screw rod needs to be determined according to H2. The screw size must be cut to the required length before installation.

- Specifications subject to change without notice.
- Custom formats and sizes are available upon request.
- Detail dimensional drawings, wiring diagrams and installation instructions available upon request.

Liberty SCREEN PRO®