

BATTERY MOTOR SCREEN JAMPO series

ELECTRIC SCREEN OPTION

BATTERY LIFE

LITHIUM-ION Battery

- Runs over 2160hr on a single charge
- Charge with DC2.1 port and special adapter
- 2 years warranty
- Estimated 500 charging cycles life
- Power backup

Battery Motor

Certificated by UL, 3C. Stable and safe operation.



14.8V lithium battery motor


Rf Wireless Remote Control

PRODUCT

*Not compatible with sync-trigger



Tab-tensined Screen



Motorized Screen

APPLICATIONS



Residential
Entertainment Rooms
Home Theatres




Commercial
Cinema
Classrooms
City Hall

Tab Tension Screen - Jampo SIZE »


*Unit:mm

FORMAT	DIAG.SIZE	VIEWING AREA	BLACK BORDER			SCREEN OVERALL LENGTH	SCREEN OVERALL HEIGHT	PACKAGE DIMENSIONS	APPROX. WEIGHT		NOTE
		(WxH)	Top(B1)	Bottom(B2)	L/R(A)	L	B	W1xH1xL1	Kg	Lbs	
16:9	92"	2032x1143	400	50	60	2496	1744	170x220x2579	21.08	46.47	Jampo
	100"	2214x1245	400	50	60	2678	1846	170x220x2761	22.30	49.16	
	106"	2347x1320	400	50	60	2811	1921	170x220x2894	23.09	50.90	
	110"	2435x1370	400	50	60	2899	1971	170x220x2982	23.60	52.03	
	120"	2657x1495	400	50	60	3121	2096	170x220x3204	25.00	55.12	
	133"	2944x1656	400	50	60	3431	2326	170x220x3751	30.17	66.97	
16:10	92"	1982x1239	400	50	60	2446	1840	170x220x2529	19.90	43.87	
	100"	2154x1346	400	50	60	2618	1947	170x220x2701	21.75	47.95	
	106"	2283x1427	400	50	60	2747	2028	170x220x2830	22.70	50.04	
	110"	2370x1480	400	50	60	2834	2081	170x220x2917	23.40	51.59	
	120"	2585x1616	400	50	60	3049	2217	170x220x3132	25.00	55.12	
	133"	2865x1790	400	50	60	3352	2460	170x220x3672	30.45	66.38	
4:3	100"	2032x1524	400	50	60	2496	2125	170x220x2579	21.77	47.99	
	120"	2438x1829	400	50	60	2902	2430	170x220x2985	26.40	58.20	

Dimension Chart »




Installation




*Unit:mm

FORMAT	DIAG.SIZE	VIEWING AREA	BLACK BORDER			SCREEN OVERALL LENGTH	SCREEN OVERALL HEIGHT	PACKAGE DIMENSIONS	APPROX. WEIGHT		NOTE
		(WxH)	Top(B1)	Bottom(B2)	L/R(A)	L	B	W1xH1xL1	Kg	Lbs	
16:9	92 "	2032x1143	650	50	40	2256	1954	165x165x2324	16.8	37.0	JAMPO
	100 "	2214x1245	550	50	40	2438	1956	165x165x2506	17.9	39.4	
	106 "	2358x1326	500	50	40	2582	1987	165x165x2650	18.6	41.0	
	110 "	2435x1370	450	50	40	2659	1981	165x165x2727	19.2	42.2	
	120 "	2657x1495	400	50	40	2881	2056	165x165x2949	20.5	45.1	
	133 "	2944x1656	300	50	40	3168	2117	165x165x3236	42.8	94.4	
16:10	92 "	1982x1239	400	50	40	2206	1800	165x165x2274	18.5	40.8	
	100 "	2154x1346	400	50	40	2378	1907	165x165x2446	19.6	43.1	
	106 "	2283x1427	400	50	40	2507	1988	165x165x2575	20.3	44.8	
	110 "	2370x1480	400	50	40	2594	2041	165x165x2662	20.9	46.0	
	120 "	2585x1616	400	50	40	2809	2177	165x165x2877	22.2	48.9	
	133 "	2865x1791	350	50	40	3089	2302	165x165x3157	42.5	93.6	
4:3	100 "	2032x1524	100	50	40	2256	1785	165x165x2324	17.3	38.1	
	120 "	2358x1770	100	50	40	2582	2031	165x165x2650	19.9	43.9	

Dimension Chart >>



Installation



Liberty SCREEN PRO®



25/4 Part, Nicholson Road, Tarbund,
Secunderabad - 500009 Telangana, India.
Tel: +91(0)40-40165862 / 27955419
Mobile: + 91(0)9959024099 / 9908244099
CIN: U32304TG2007PTC056103
E-mail: sales@av-visionindia.co.in
www.av-visionindia.co.in

Sams AV-Tech (ShenZhen)Co., Ltd.
WEB: www.samsav.com