

T PRISM screen




PERFECT MATCH FOR UST PROJECTOR / LASER TV

ECONOMIC MOTORIZED ALR SCREEN - AB

Premium Ambient Light-Rejecting Technology



ADVANTAGE FRIENDLY FEATURES




BRIGHTER & BETTER

T PRISM is with 3D nano coating which combines the contrast and gain perfectly reaching 20000:1 cinema standard. With a nearly perfect viewing angle of 178° and big size range (100"-150"), it is capable of being viewed from extreme off axis positions even during day time with ambient light. When compared with normal matte white screen and other ALR fabric, the picture comes alive and maintains the contrast of the projector.



Rollable Design leave the space when without use




Seamless splicing technology without printing ink, healthy and eco-friendly.



868MHz IR control both



Sny-Trigger, screen turn on/off at the same time with projector (Sold separately)





Up & down limit adjustment
Anti-pinch hand device


Economic Motorized A LR Screen SIZE »

*Unit:mm


FORMAT	DIAG.SIZE	VIEWING AREA	BLACK BORDER			SCREEN OVERALL LENGTH	SCREEN OVERALL HEIGHT	L2	PACKAGE DIMENSIONS	APPROX. WEIGHT		NOTE
		(WxH)	Top(B1)	Bottom(B2)	L/R(A)	L	B		W1xH1xL1	Kg	Lbs	
16:9	100"	2214x1245	450	50	60	2777	1928	2753	235x235x2807	19.44	42.85	
	110"	2435x1370	450	50	60	2998	2053	2974	235x235x3028	20.95	46.19	
	120"	2657x1495	450	50	60	3220	2178	3196	235x235x3250	22.49	49.59	
	133"	2944x1656	450	50	60	3507	2339	3486	235x235x3537	39.53	87.15	
	150"	3320x1868	450	50	60	3883	2551	3912	235x235x3913	43.40	95.68	
16:10	100"	2154x1346	450	50	60	2717	2029	2693	235x235x2747	18.94	41.76	
	110"	2370x1480	450	50	60	2933	2163	2909	235x235x2963	20.43	45.04	
	120"	2585x1616	450	50	60	3148	2299	3124	235x235x3178	21.94	48.37	
	133"	2865x1791	450	50	60	3428	2474	3407	235x235x3458	39.81	87.77	
	140"	3015x1885	450	50	60	3578	2568	3554	235x235x3608	43.56	96.03	




Installation »



Ceiling mount



Wall mount



Hoisting

PRODUCT NOTES

Screen length calculation formula: $L = W + 563\text{mm}$

Formula for calculating package length: $L1 = W + 593\text{mm}$

Packaging volume calculation formula: $V = 0.0552 \times (W + 593 / 1000) \text{m}^3$

Explanation:

1. The allowable error between the theoretical size and the actual size of the projected area is $\pm 5\text{mm}$, and the allowable error between the physical size and the size in the table is $\pm 3\text{mm}$, please refer to the actual one.

2. The allowable error between the actual weight and the weight in the table is $\pm 1\text{kg} / 2.2\text{Lbs}$

- Specifications subject to change without notice.
- Custom formats and sizes are available upon request.
- Detail dimensional drawings, wiring diagrams and installation instructions available upon request.

Liberty SCREEN PRO®